


SMOOTH EFFICIENCY

Commuting by car is a chore. Commuting by bike, especially one designed for it, is quite the opposite.

We help you arrive in style, with lightweight polycarbonate fenders on the Commuter 2.0, 3.0, and 4.0 and an integrated pant guard on all models, so you can be a bike commuter without looking like a bike commuter. A suspension seatpost and memory foam padded saddle smoothes your path, while the arcing sweep of our classically-shaped handlebar puts shifters and brake levers within easy reach, your wrists at a natural angle for comfort and control.

We make getting there easy with a light alloy frame and simple-to-operate, low-maintenance drivetrains that offer plenty of gearing to flatten hills and generate speed, all rolling on cushy, large diameter 700 x 32c tires that spin with smooth efficiency for a nearly silent, plush arrival.

Getting to work shouldn't be, well, work. There's plenty of time for that once you hit the office. Bookend your workday with something that makes you feel good. Decompress on a Commuter and go home grinning.



Color: Cream
 Sizes: M: 14.5", 16.5", 18.5", 20.5", 22"
 W: 14.5", 17.5"
 Weight: 30.50 lbs

Commuter 4

FRAME
 6061 aluminum, sloping double triangle frame design, Future-Form super-lite custom fenders with SS hardware.

FORK
 Aluminum straight blade for disc with cro-moly steerer.

WHEELS
 Weinmann SPHYNX double wall 700c rims w/eyelets, Shimano Nexus 8-speed internal rear & Formula alloy QR front hub, stainless steel spokes.

TIRES
 Kenda Kwest 700 x 32c with K-Shield flat protection and reflective side stripe.

DRIVETRAIN
 Shimano Alfine 8-speed internal w/Nexus SL-S500 Rapid Fire shifter and chain tensioner, Shimano front derailleur, FSA Vero alloy crankset with guard, and cartridge BB, 34/48T, 16 speeds.

COCKPIT
 Swept-back classic-style city bike bar, Satori adjustable-rise alloy stem, suspension seatpost, Jamis Street saddle.

BRAKESET
 Shimano BR-M415 mechanical disc brake with Tektro Tenera comfort levers.

Commuter 3

FRAME
 6061 aluminum, sloping double triangle frame design, Future-Form super-lite custom fenders with SS hardware.

FORK
 Aluminum straight blade with cro-moly steerer.

WHEELS
 Weinmann ZAC-1800 double wall 700c rims, Shimano Nexus 8-speed internal rear & Formula alloy QR front hub, stainless steel spokes.

TIRES
 Kenda Kwest 700 x 32c with K-Shield flat protection and reflective side stripe.

DRIVETRAIN
 Shimano 8-speed internal with Nexus Rapid Fire shifter, forged alloy 42T crankset with guard, and cartridge BB.

COCKPIT
 Swept-back classic-style city bike bar, Satori adjustable-rise alloy stem, suspension seatpost, Jamis Street saddle.

BRAKESET
 Tektro Mid Reach Dual Pivot caliper brakes with Tektro Tenera comfort levers.



Color: Mica
 Sizes: M: 14.5", 16.5", 18.5", 20.5", 22" - W: 14.5", 17.5"
 Weight: 28.50 lbs

JAMIS
 Gloss Black
 JAMIS
 Baby Doll Blue (W)

Commuter 2

FRAME
 6061 aluminum, sloping double triangle frame design, Future-Forms super-lite custom fenders with stainless hardware.

FORK
 Aluminum straight blade with cro-moly steerer.

WHEELS
 Weinmann ZAC 1800 double wall 700c rims, Formula alloy hubs with QR, stainless steel spokes.

TIRES
 Kenda Kwest 700 x 32c with K-Shield flat protection and reflective side stripe.

DRIVETRAIN
 Shimano Acera rear derailleur, SRAM TRX trigger 8-speed RH only, Shimano HG40, 11/32 8 speed cassette, forged alloy 42T crankset with guard and sealed cartridge BB.

COCKPIT
 Swept-back classic-style city bike bar, adjustable-rise alloy stem, suspension seatpost, Jamis Street saddle.

BRAKESET
 Tektro Mid Reach Dual Pivot caliper brakes with Tektro Tenera comfort levers.



Color: Monterey Blue
 Sizes: M: 14.5", 16.5", 18.5", 20.5", 22" - W: 14.5", 17.5"
 Weight: 27.25 lbs

JAMIS
 Pewter
 JAMIS
 Pearl White (W)

Commuter 1

FRAME
 7005 TIG-welded aluminum, sloping double triangle frame, replaceable derailleur hanger.

FORK
 Hi-Tensile carbon steel straight blade unicrown.

WHEELS
 Alex alloy 700c rims, Formula alloy hubs with QR, stainless steel spokes.

TIRES
 Inverted "lockjaw" tread, 700 x 38c, with reflective sidewall stripe.

DRIVETRAIN
 Shimano Altus rear derailleur, SRAM GripShift, Alloy 44T crankset with guard and bolt-type cup & cone BB.

COCKPIT
 Swept-back classic-style city bike bar, adjustable-rise alloy stem, suspension seatpost, Jamis Street saddle.

BRAKESET
 Alloy direct pull brakes with Tektro Tenera comfort levers.



Color: Copper
 Sizes: M: 14.5", 16.5", 18.5", 20.5", 22" - W: 14.5", 17.5"
 Weight: 28.50 lbs

JAMIS
 Gloss Black
 JAMIS
 Pistachio (W)

JAMIS 2008 FRAME GEOMETRY (INCH/MM)

MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
XENITH SL	48cm	16.30/414	20.24/514	72.5°	73°	15.94/405	37.09/942	1.69/43	10.67/271	3.94/100	28.11/714
XENITH TEAM	51cm	17.95/456	20.83/529	73°	73°	15.94/405	37.52/953	1.69/43	10.67/271	4.72/120	29.41/747
XENITH PRO	54cm	18.74/476	21.42/544	73°	73°	15.94/405	38.07/967	1.69/43	10.67/271	5.51/140	30.16/766
XENITH RACE	56cm	19.45/494	22.24/565	73°	73°	15.94/405	38.90/988	1.69/43	10.67/271	6.30/160	30.87/784
XENITH COMP	58cm	20.16/512	22.83/580	73°	73°	15.94/405	39.49/1003	1.69/43	10.67/271	7.09/180	31.57/802
	61cm	20.83/529	23.23/590	73°	73°	15.94/405	39.92/1014	1.69/43	10.67/271	7.87/200	32.13/816
XENITH COMP-WSD	48cm	16.30/414	19.88/505	71°	75.5°	15.94/405	38.42/976	1.97/50	10.67/271	3.94/100	27.91/709
	51cm	17.95/456	20.27/515	71.5°	75°	15.94/405	38.50/978	1.97/50	10.67/271	4.72/120	29.09/739
	54cm	18.74/476	20.86/530	72°	74°	15.94/405	38.31/973	1.69/43	10.67/271	5.51/140	30.00/762
XENITH T2	S	19.88/505	20.08/510	71°	78°	15.35/390	38.54/979	1.89/48	10.63/270	3.94/100	29.80/757
XENITH T1	M	20.27/515	20.67/525	72°	78°	15.35/390	38.54/979	1.89/48	10.63/270	4.33/110	30.31/770
	M/L	21.02/534	21.45/545	72°	78°	15.35/390	38.54/979	1.89/48	10.63/270	5.31/135	31.26/794
	L	22.24/565	22.64/575	72°	78°	15.35/390	38.54/979	1.89/48	10.63/270	6.30/160	32.20/818
TRILOGY	51cm	17.99/457	20.08/510	71°	78°	14.96/380	38.27/972	1.89/48	10.39/264	3.94/100	28.19/716
	54cm	19.17/487	20.67/525	72°	78°	14.96/380	38.58/980	1.89/48	10.39/264	4.33/110	29.01/737
	56cm	19.96/507	21.45/545	72°	78°	14.96/380	39.45/1002	1.89/48	10.39/264	5.12/130	29.80/757
	58cm	20.75/527	22.24/565	72°	78°	14.96/380	40.31/1024	1.89/48	10.39/264	5.71/145	30.43/773
	61cm	21.93/557	22.64/575	72°	78°	14.96/380	40.75/1035	1.89/48	10.39/264	6.30/160	31.97/812
COMET	51cm	18.31/465	20.08/510	71°	78°	14.96/380	38.27/972	1.89/48	10.39/264	3.94/100	28.74/730
	54cm	19.49/495	20.67/525	72°	78°	14.96/380	38.58/980	1.89/48	10.39/264	4.33/110	29.13/740
	56cm	20.27/515	21.45/545	72°	78°	14.96/380	39.45/1002	1.89/48	10.39/264	5.12/130	30.00/762
	58cm	21.06/535	22.24/565	72°	78°	14.96/380	40.31/1024	1.89/48	10.39/264	5.71/145	30.55/776
	61cm	22.24/565	22.64/575	72°	78°	14.96/380	40.75/1035	1.89/48	10.39/264	6.30/160	31.06/789
SONIK	48cm	16.85/428	20.67/525	74.5°	75°	15.16/385	36.53/928	1.18/30	11.61/295	4.33/110	29.45/748
	51cm	18.03/458	20.86/530	74.5°	75°	15.16/385	39.45/1002	1.18/30	11.61/295	4.52/115	30.04/763
	54cm	19.21/488	21.45/545	74.5°	74°	15.16/385	39.50/1003	1.18/30	11.61/295	5.12/130	30.08/764
	56cm	20.04/509	22.24/565	74.5°	74°	15.16/385	39.84/1012	1.18/30	11.61/295	5.71/145	31.30/795
	58cm	20.79/528	22.83/580	74.5°	74°	15.16/385	40.27/1023	1.18/30	11.61/295	6.30/160	32.05/814
	61cm	21.97/558	23.31/592	74.5°	73.5°	15.16/385	40.63/1032	1.18/30	11.61/295	7.28/185	32.99/838
SUPERNOVA	48cm	17.56/446	20.27/515	71°	75°	16.73/425	39.37/1000	1.93/49	10.86/276	3.94/100	30.16/766
	51cm	18.74/476	20.86/530	71.5°	74°	16.73/425	39.45/1002	1.93/49	10.86/276	4.52/115	30.59/777
	54cm	19.92/506	21.45/545	72°	73°	16.73/425	39.50/1003	1.93/49	10.86/276	5.12/130	31.02/788
	56cm	20.71/526	22.05/560	72.5°	73°	16.73/425	39.84/1012	1.85/47	10.86/276	5.71/145	31.77/807
	58cm	21.49/546	22.64/575	72.5°	72.5°	16.73/425	40.27/1023	1.85/47	10.86/276	6.30/160	32.56/827
	61cm	22.71/577	23.42/595	73°	72°	16.73/425	40.63/1032	1.85/47	10.86/276	7.28/185	33.58/853
NOVA PRO	48cm	17.56/446	20.27/515	71°	74.58°	16.73/425	39.37/1000	1.93/49	10.86/276	3.94/100	29.45/748
	51cm	18.74/476	20.86/530	71.5°	74°	16.73/425	39.45/1002	1.93/49	10.86/276	4.52/115	30.27/769
	54cm	19.92/506	21.45/545	72°	73°	16.73/425	39.50/1003	1.93/49	10.86/276	5.12/130	31.14/791
	56cm	20.71/526	22.05/560	72.5°	73°	16.73/425	39.84/1012	1.85/47	10.86/276	5.71/145	31.18/792
	58cm	21.49/546	22.64/575	72.5°	72.5°	16.73/425	40.27/1023	1.85/47	10.86/276	6.30/160	32.52/826
	61cm	22.71/577	23.42/595	73°	72°	16.73/425	40.63/1032	1.85/47	10.86/276	7.28/185	33.58/853
VENTURA ELITE	48cm	16.42/417	20.27/515	71°	74°	16.34/415	38.50/978	1.97/50	10.51/267	3.94/100	27.87/700
VENTURA RACE	51cm	18.11/460	20.67/525	71.5°	74°	16.34/415	38.78/985	1.97/50	10.51/267	4.72/120	29.13/740
VENTURA COMP	54cm	18.78/477	21.18/538	72°	73.5°	16.34/415	38.78/985	1.77/45	10.51/267	5.51/140	29.88/759
	56cm	19.60/498	21.85/555	72.5°	73°	16.34/415	38.86/987	1.69/43	10.51/267	6.30/160	30.67/779
	58cm	20.23/514	22.44/570	72.5°	72.5°	16.34/415	39.41/1001	1.69/43	10.51/267	7.08/180	31.34/796
	61cm	20.90/531	23.03/585	72.5°	72.5°	16.34/415	40.00/1016	1.69/43	10.51/267	7.87/200	32.01/813
VENTURA RACE FEMME	48cm	16.42/417	19.88/505	71°	75.5°	16.34/415	38.70/983	1.97/50	10.71/272	3.94/100	28.03/712
	51cm	18.11/460	20.27/515	71.5°	75°	16.34/415	38.82/986	1.97/50	10.71/272	4.72/120	29.25/743
	54cm	18.78/477	20.87/530	72°	74°	16.34/415	38.27/972	1.69/43	10.71/272	5.51/140	29.96/761
VENTURA SPORT	51cm	18.11/460	20.67/525	71.5°	74°	16.34/415	38.78/985	1.97/50	10.51/267	4.72/120	29.13/740
	54cm	18.78/477	21.18/538	72°	73.5°	16.34/415	38.78/985	1.77/45	10.51/267	5.51/140	29.88/759
	56cm	19.64/499	21.85/555	72.5°	73°	16.34/415	38.86/987	1.69/43	10.51/267	6.30/160	30.67/779
	58cm	20.27/515	22.44/570	72.5°	72.5°	16.34/415	39.41/1001	1.69/43	10.51/267	7.08/180	31.34/796
	61cm	20.59/523	23.03/585	72.5°	72.5°	16.34/415	40.00/1016	1.69/43	10.51/267	7.87/200	32.01/813
VENTURA SPORT FEMME	48cm	16.42/417	19.88/505	71°	75.5°	16.34/415	38.70/983	1.97/50	10.71/272	3.94/100	28.03/712
	51cm	18.11/460	20.27/515	71.5°	75°	16.34/415	38.82/986	1.97/50	10.71/272	4.72/120	29.25/743
	54cm	18.78/477	20.87/530	72°	74°	16.34/415	38.27/972	1.69/43	10.71/272	5.51/140	29.96/761
QUEST	48cm	16.65/423	20.27/515	72°	74.5°	16.34/415	38.23/971	1.69/43	10.71/272	3.94/100	28.58/726
	51cm	18.31/465	20.86/530	72°	74.5°	16.34/415	38.86/987	1.69/43	10.71/272	4.72/120	29.76/756
	54cm	19.01/483	21.26/540	72.5°	74°	16.34/415	38.90/988	1.69/43	10.71/272	5.51/140	30.47/774
	56cm	19.88/505	21.85/555	72.5°	73°	16.34/415	39.09/993	1.69/43	10.71/272	6.30/160	31.22/793
	58cm	20.51/521	22.44/570	73.5°	73°	16.34/415	39.49/1003	1.69/43	10.71/272	7.08/180	31.85/809
	61cm	21.18/538	23.03/585	73°	73°	16.34/415	40.08/1018	1.69/43	10.71/272	7.87/200	32.56/827
QUEST FEMME	48cm	16.65/423	19.88/505	71°	75.5°	16.34/415	38.82/986	1.97/50	10.71/272	3.94/100	28.19/716
	51cm	18.31/465	20.27/515	71.5°	75°	16.34/415	38.94/989	1.97/50	10.71/272	4.72/120	29.53/750
	54cm	19.01/483	20.86/530	72°	74°	16.34/415	38.70/983	1.69/43	10.71/272	5.51/140	30.27/769
SATELLITE	48cm	16.61/422	20.27/515	71°	74.5°	16.34/415	38.82/986	1.97/50	10.71/272	3.54/90	27.95/710
	51cm	18.27/464	20.86/530	72.5°	74°	16.34/415	38.51/978	1.69/43	10.71/272	4.72/120	29.49/749
	54cm	18.94/481	21.25/540	73°	73°	16.34/415	38.35/974	1.69/43	10.71/272	5.51/140	30.23/768
	56cm	19.72/501	21.85/555	73°	73°	16.34/415	38.94/989	1.69/43	10.71/272	6.30/160	31.06/789
	58cm	20.43/519	22.44/570	73°	73°	16.34/415	39.53/1004	1.69/43	10.71/272	7.08/180	31.77/807
	61cm	21.10/536	23.03/585	73°	73°	16.34/415	40.12/1019	1.69/43	10.71/272	7.87/200	32.52/826
SATELLITE FEMME	48cm	16.61/422	19.88/505	71°	75.5°	16.34/415	38.78/985	1.97/50	10.71/272	3.54/90	27.99/711
	51cm	18.27/464	20.27/515	71.5°	75°	16.34/415	38.94/989	1.69/43	10.71/272	4.72/120	29.45/748
	54cm	18.98/482	20.86/530	72°	74°	16.34/415	38.70/983	1.69/43	10.71/272	5.51/140	30.24/768
AURORA ELITE	46cm	14.45/367	20.20/513	71°	74.5°	16.73/425	39.25/997	1.97/50	11.02/280	3.94/100	27.62/702
	49cm	19.29/490	20.67/525	71°	74.5°	16.73/425	39.45/1002	1.69/43	11.02/280	4.13/105	30.31/770
	51cm	20.08/510	21.26/540	71.5°	73.5°	16.73/425	39.50/1003	1.69/43	11.02/280	4.53/115	30.87/784
	53cm	20.87/530	21.85/555	71.5°	73.5°	16.73/425	40.11/1019	1.69/43	11.02/280	4.92/125	31.46/799
	55cm	21.69/551	22.44/570	72°	73°	16.73/425	40.33/1024	1.69/43	11.02/280	5.31/135	32.36/822
	57cm	22.52/572	23.03/585	72°	73°	16.73/425	40.93/1040	1.69/43	11.02/280	6.14/156	33.15/842
	60cm	23.70/602	23.62/600	72.5°	72.5°	16.73/425	41.14/1044	1.69/43	11.02/280	6.97/177	33.97/863
AURORA	47cm	14.57/370	20.20/513	70.5°	74°	17.32/440	39.84/1012	1.97/50	10.83/275	3.94/100	27.01/

	Allegro 3	Allegro 2	Allegro 1	Coda Elite	Coda Comp	Coda Sport	Coda	Commuter 4		Commuter 3	Commuter 2	Commuter 1	Allegro 3X	Allegro 2X	Allegro 1X	Citizen 3	Citizen 2	Citizen 1	
Frame	6061 aluminum triple butted main tubes with hydroformed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger, eyeletted dropouts, rack mounts on seat stay	6061 aluminum triple butted main tubes with hydroformed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger, eyeletted dropouts, rack mounts on seat stay	6061 aluminum triple butted main tubes with hydroformed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger, eyeletted dropouts, rack mounts on seat stay	Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered cromos stays, forged dropouts with international disc brake tabs	Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered cromos stays, forged dropouts with eyelets	Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered cromos stays, forged dropouts with eyelets	Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered cromos stays, forged dropouts with eyelets	6061 aluminum triple gauge main tubes and stays, sloping design, chainstay disc brake mount, rack/fender mounts, double eyelets, FutureForm polycarbonate fenders		6061 Triple gauge aluminum main tubes and stays, sloping design, rack/fender mounts, double eyelets, FutureForm polycarbonate fenders	6061 Triple gauge aluminum main tubes and stays, sloping design, rack/fender mounts, double eyelets, FutureForm polycarbonate fenders	7005 Triple gauge aluminum main tubes and stays, sloping design, rack/fender mounts, double eyelets	6061 aluminum triple butted main tubes with hydroformed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger, chainstay disc brake mount, rack mounts on seat stay	6061 aluminum triple butted main tubes with hydroformed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger, eyeletted dropouts, rack mounts on seat stay	6061 aluminum triple butted main tubes with hydroformed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger, eyeletted dropouts, rack mounts on seat stay	6061 aluminum triple gauge main tubes and stays, sloping design, chainstay disc brake mount, replaceable derailleur hanger, eyeletted dropouts	6061 aluminum triple gauge main tubes and stays, sloping design, replaceable derailleur hanger, eyeletted dropouts	6061 aluminum triple gauge main tubes and stays, sloping design, replaceable derailleur hanger, eyeletted dropouts	7005 aluminum triple gauge main tubes and stays, sloping design, replaceable dropouts, with fenders
Fork	Full Carbon composite with brake mounts, low rider mounts, forged dropouts and one eyelet	Full Carbon composite with brake mounts, low rider mounts, forged dropouts and one eyelet	Alloy straight blade unicrown trekking fork w/Cro-moly steerer, single eyelet	Carbon fiber unicrown w/disc mount, aluminum steerer, forged dropouts	Full Carbon composite with brake mounts, low rider mounts, forged dropouts and one eyelet	Chromoly unicrown, bulge butted steerer, low rider braze-ons, double eyelets	Chromoly unicrown, bulge butted steerer, low rider braze-ons, double eyelets	Jamis Aluminum City/ Cross fork with disc mounts and eyelets		Jamis Aluminum City/ Cross fork with 1 1/8" steel steerer with eyelets	Jamis Aluminum City/ Cross fork with 1 1/8" steel steerer with eyelets	Hi-Tensile steel unicrown, straight blades, with dropout eyelets	SR/SunTour NCX-D-LO Magnesium lowers, hydraulic damping, speed lock out, 63mm travel	SR/SunTour NEX-4610-HLO Aluminum lowers, hydraulic damping, speed lock out, 63mm travel	SR/SunTour NEX-4110-HLO Aluminum lowers, coil spring with preload adjustment, 63mm travel	RST Vita-TNL suspension fork, magnesium legs, hydraulic lock out, 60mm travel, external preload adjustment	RST Vita-T8 suspension fork, magnesium legs, 60mm travel, external preload adjustment	SR/Suntour suspension, CR-8R, with external preload adjuster, 40mm travel	
Headset	Internal Cup Aheadset, 1 1/8"	Internal Cup Aheadset, 1 1/8"	Internal Cup Aheadset, 1 1/8"	Aheadset, 1 1/8"	Aheadset, 1 1/8"	Aheadset, 1 1/8"	Aheadset, 1 1/8"	Slimstack threaded, Sealed, 1 1/8"		Slimstack threaded, Sealed, 1 1/8"	Slimstack threaded, Sealed, 1 1/8"	Sealed, threaded, 1 1/8"	Internal Cup Aheadset, 1 1/8"	Internal Cup Aheadset, 1 1/8"	Internal Cup Aheadset, 1 1/8"	Slimstack threaded, Sealed, 1 1/8"	Slimstack threaded, Sealed, 1 1/8"	Sealed, threaded, 1 1/8"	
Wheels	Shimano WH-R500 wheelsset, 700c, 20/24H with 24mm profile rims, radially laced front, 3x rear	Formula CXR-220 wheelsset, 20mm aero profile rim w/CNC sidewall, 24/28H, radial front, 2X rear	Alex AXK R1.0 wheelsset, aero profile rims with CNC sidewalls, 28/32H, radial front, 2X rear	Mavic CXP-22 alloy double-wall eyeletted rims, 700c, 32H, with Shimano Road 2200 hubs, 14g stainless steel spokes	Shimano WH-R500 wheelsset, 700c, 20/24H with 24mm profile rims, radially laced front, 3x rear	Alex ACE-24 alloy double-wall rims, 700c, 32H, with Shimano Road 2200 hubs, 14g stainless steel spokes	Alex ACE-24 alloy double-wall rims, 700c, 32H, Formula sealed alloy QR hubs, 14g stainless steel spokes	Weinmann SPHYNX double wall disc rims with eyelets 700c, 36H, with Shimano Alfine Inter-8 CenterLock disc rear, Shimano M495 CenterLock disc front, 14g stainless steel spokes.		Weinmann Zac 1800 double wall rims, 700c, 36H, with Shimano, Nexus Inter-8 rear, Formula Alloy QR front, 14g stainless steel spokes.	Weinmann Zac 1800 double wall rims, 700c, 36H, with Shimano, Nexus Inter-8 rear, Formula Alloy QR front, 14g stainless steel spokes	Alex single-wall alloy silver anodized rims, 700c, 36H, with Formula alloy QR front and rear hubs, 14g stainless steel spokes	Mavic CXP-22 double wall rims, Shimano M495 CenterLock disc hubs, 32H, WTB stainless steel spokes	Alex ACE-24 alloy double-wall rims, 700c, 32H, with Shimano Road 2200 hubs, 14g stainless steel spokes	Alex ACE-24 alloy double-wall rims, 700c, 32H, Formula sealed alloy QR hubs, 14g stainless steel spokes	Weinmann Zac 2000 double wall rims, 700c, 32H, Formula sealed alloy QR front and rear disc compatible hubs, 14g stainless steel spokes	Weinmann Zac 1800 double wall rims, 700c, 36H, with Formula QR front and rear, 14g stainless steel spokes.	Weinmann Zac 1800 double wall rims, 700c, 36H, with Formula alloy QR front and rear hubs, 14g stainless steel spokes	Alex single-wall alloy silver anodized rims, 700c, 36H, with Formula alloy QR front and rear hubs, 14g stainless steel spokes
Tires	Vittoria Randonneur, 700 x 32c w/double shield puncture protection, reflective sidewall stripe	Vittoria Randonneur, 700 x 32c w/double shield puncture protection, reflective sidewall stripe	Vittoria Randonneur, 700 x 32c w/double shield puncture protection, reflective sidewall stripe	Vittoria Zaffiro, 700 x 28c	Vittoria Zaffiro, 700 x 28c	Vittoria Zaffiro, 700 x 28c	Vittoria Zaffiro, 700 x 28c	Kenda Kwest street tires, 700 x 32c, with K-Shield puncture protection and 3M reflective safety stripe		Kenda Kwest street tires, 700 x 32c, with K-Shield puncture protection and 3M reflective safety stripe	Kenda Kwest street tires, 700 x 32c, with K-Shield puncture protection and 3M reflective safety stripe	CST inverted tread design, 700 x 38c, with 3M reflective safety stripe	Vittoria Randonneur Trail, 700 x 35c w/ reflective sidewall stripe	Vittoria Randonneur Trail, 700 x 35c w/ reflective sidewall stripe	Vittoria Randonneur Trail, 700 x 35c w/ reflective sidewall stripe	CST inverted tread design, 700 x 38c, with kevlar puncture barrier and 3M reflective safety stripe	CST inverted tread design, 700 x 38c, with kevlar puncture barrier and 3M reflective safety stripe	CST inverted tread design, 700 x 38c, with 3M reflective safety stripe	
Derailleurs	Shimano 105 rear, Shimano R770 bottom pull front	Shimano Tiagra rear, Shimano R440 bottom pull front	Shimano New Sora rear, Shimano R440 bottom pull front	Shimano New Deore XT M771 rear, Shimano R453-A bottom pull front	Shimano Deore LX rear, Shimano R453-A bottom pull front	Shimano Deore rear, Shimano R453-A bottom pull front	Shimano Acera rear, Shimano C-102 bottom pull front	Shimano CT-5500 chain tensioner, Shimano R440 front		N/A	Shimano Acera rear	Shimano Altus rear	Shimano New Deore XT M771 rear, Shimano R453-A bottom pull front	Shimano Deore rear, Shimano R453 bottom pull front	Shimano Acera rear, Shimano C051 bottom pull front	Shimano Deore rear, SR-XCR-208 31.8mm top pull front	Shimano Acera rear, Shimano C102 front, 31.8mm, top swing/ bottom pull front.	Shimano Altus rear, Shimano C051 31.8mm /bottom pull front	
Shiftlevers	Shimano SL-R770 for flat-bar, 20-speed	Shimano SL-R440 for flat-bar, 18-speed	Shimano ST-R221 for flat-bar, 16-speed	Shimano SL-R440 for flat-bar 27-speed	Shimano SL-R440 for flat-bar, 27-speed	Shimano ST-R440 for flat-bar, 27-speed	SRAM TRX Unilever trigger-shift, 24-speed	Shimano SL-5500 RapidFire shifter for Alfine hub, 8-speed		Shimano SL-5500 RapidFire shifter for Nexus hub, 8-speed	SRAM TRX trigger shifter, 8-speed	SRAM Grip-shift MRX-204, 7-speed	Shimano SL-R440 for flat-bar 27-speed	Shimano ST-R440 for flat-bar, 27-speed	Shimano Alivio Rapidfire, 24-speed	Shimano Acera EZ-Fire, 24-speed, ST-M405	Shimano ST-EF50 EZ-Fire Plus, 24-speed	SRAM Grip-shift MRX-204, 21-speed	
Chain	SRAM, PC-1030 10-speed	KMC Z9000	KMC Z-82	Shimano CN-HG73	KMC Z9000	KMC Z9000	KMC Z-82	KMC Z-9000		KMC Z610, rust buster chain	KMC Z82	KMC UG-50	Shimano CN-HG73	KMC Z9000	KMC Z-82	KMC Z-82	KMC Z-82	KMC UG-51	
Cassette	Shimano CS-5600 10-speed, 11-25t	SRAM PowerGlide 950, 9-speed, 11-26	SRAM PowerGlide 850, 8-speed, 12-25	SRAM PowerGlide 950, 9-speed, 11-32	SRAM PowerGlide 950, 9-speed, 11-32	SRAM PowerGlide 950, 9-speed, 11-32	Shimano CS-HG40, 8-speed, 11-32	Shimano CS-5500 18T		Shimano Nexus 20T	Shimano CS-HG40, 8-speed, 11-32	Shimano freewheel, 7-speed, 13-34	SRAM PowerGlide 950, 9-speed, 11-32	SRAM PowerGlide 950, 9-speed, 11-32	Shimano CS-HG40, 8-speed, 11-32	Shimano CS-HG40, 8-speed, 11-32	Shimano CS-HG40, 8-speed, 11-32	Shimano CS-HG40, 8-speed, 11-32	Shimano freewheel, 7-speed, 13-34
Crankset	FSA Vero Compact Double w/Power Drive, 50/34, 170mm (16-19.5), 170mm (16-19.5), 175mm (20.5-23")	FSA Vero Compact Double w/Power Drive, 50/34, 170mm (16-17.5), 175mm (19.5-23")	FSA Vero Compact Double, 50/34, 170mm (16-17.5), 175mm (19.5-23")	FSA Vero triple w/Power Drive, 50/39/30, 170mm (16-17.5), 175mm (19.5-23")	FSA Vero triple w/Power Drive, 50/39/30, 170mm (16-17.5), 175mm (19.5-23")	FSA Vero Triple, 50/39/30, 170mm (16-17.5), 175mm (19.5-23")	RPM alloy triple, 48/38/28, 170mm (14.5-17.5), 175mm (19.5-23")	FSA Vero Compact Double, 48/34 with Chainguard, 170mm, (14.5-18.5") 175mm, (20.5-22")		Forged, single 42T ring, 170mm (14.5-18.5"), 175mm (20.5-22") with chainguard	Forged, single 42T ring, 170mm (14.5-18.5"), 175mm (20.5-22") with chainguard	Alloy crank arms, single 44T ring, 170mm (14.5-22") with chainguard	FSA Vero triple w/Power Drive, 50/39/30, 170mm (16-17.5), 175mm (19.5-23")	FSA Vero Triple, 50/39/30, 170mm (16-17.5), 175mm (19.5-23")	RPM alloy triple, 48/38/28, 170mm (14.5-17.5), 175mm (19.5-23")	Shimano Acera Triple, 48/38/28, 170mm (14-16.5"), 175mm (18.5-22") with chainguard	Shimano Nexave 300 series, triple 48/38/28 170mm (14.5-22") with chainguard	Alloy crank arms, triple 48/38/28 rings, 170mm (14.5-22"), with chainguard	
BB Set	FSA Power Drive, Sealed bearing	FSA Power Drive, Sealed bearing	FSA Sealed Cartridge, 68 x 118mm	FSA Power Drive, Sealed bearing	FSA Power Drive, Sealed bearing	FSA Sealed Cartridge, 68 x 118mm	Sealed cartridge BB, 68 x 113mm	Sealed Cartridge, 68 x 110.5mm		Sealed Cartridge, 68 x 113mm	Sealed Cartridge, 68 x 113mm	VP, sealed, bolt type, 3P axle, 68 x 129mm	FSA Power Drive, Sealed bearing	FSA Sealed Cartridge, 68 x 118mm	Sealed cartridge BB, 68 x 113mm	Sealed cartridge, 68 x 113mm	Sealed cartridge, 68 x 118mm	VP, sealed, bolt type, 3P axle, 68 x 119mm	
Pedals	Full alloy platform type	Full alloy platform type	Platform type, steel cage/resin body	Crank Brothers Smarty clipless	Full alloy platform type	Full alloy platform type	Platform type, steel cage/resin body	Full alloy City/Cross, toe clip compatible		Full alloy City/Cross, toe clip compatible	City/Cross, composite body with steel cage, toe clip attachable	Comfort platform with TPE non-slip insert	Full alloy platform type	Full alloy platform type	Full alloy platform type	Composite body with steel cage, toe clip attachable	Composite body with steel cage, toe clip attachable	Comfort platform with TPE non-slip insert	
Brakeset	Tektro RX-1.0 mini V brakes w/front modulator, Tektro RX-1.0 levers	Tektro RX-1.0 mini V brakes w/front modulator, Tektro RX-1.0 levers	Tektro RX-1.0 mini V brakes w/front modulator, Shimano 221 levers	Avid BB-7 cable actuated disc brakes with Avid FRS levers	Avid Single Digit 3 direct pull brakes with FR- 5 levers	Tektro direct pull brakes with front power modulator and Tektro alloy V-brake levers	Tektro direct pull brakes with front power modulator and Tektro alloy V-brake levers	Shimano Mechanical Disc Brake, BR-M415, 160mm (6") CenterLock rotors with Tektro Levers		Tektro forged alloy, dual pivot calipers, 55-73mm reach with Tektro Tenera Levers	Tektro forged alloy, dual pivot calipers, 55-73mm reach with Tektro Tenera Levers	Alloy direct pull brakes with Tektro Tenera levers	Shimano M485 full hydraulic with Shimano M485 levers, 160mm (6") rotors	Tektro direct pull brakes with front power modulator and Tektro alloy V-brake levers	Tektro direct pull brakes with front power modulator and Tektro alloy V-brake levers	Tektro IOX mechanical disc brakes, 160mm wavy rotors with Shimano Acera levers	Tektro forged alloy direct pull brakes with power modulator & Shimano Acera alloy levers	Alloy direct pull brakes with Tektro Tenera levers	
Handlebar	Jamis Alloy flat bar, 31.8mm x 580mm wide	Jamis Alloy flat bar, 31.8mm x 580mm wide	Jamis Alloy flat bar, 31.8mm x 580mm wide	Ritchey Comp flat bar, 6061 T-6, 5" bend x 580mm wide	Ritchey Comp flat bar, 5" bend x 580mm wide	Ritchey Alloy flat bar, 5" bend x 580mm wide	Alloy flat bar, 5" bend x 580mm wide	Classic swept-back, 10" rise x 540mm wide, Alloy		Classic swept-back, 10" rise x 540mm wide, Alloy	Classic swept-back, 10" rise x 540mm wide	Classic swept-back, 10" rise x 540mm wide	Jamis Alloy flat bar, 31.8mm x 580mm wide	Jamis Alloy flat bar, 31.8mm x 580mm wide	Jamis Alloy flat bar, 31.8mm x 580mm wide	Alloy hi-rise comfort, 40mm x 640mm wide	Alloy hi-rise comfort, 40mm x 640mm width	Hi-rise comfort style, 80mm x 640mm wide	
Stem	NVO Components adjustable threadless system (ATS) forged aluminum stem, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	NVO Components adjustable threadless system (ATS) forged aluminum stem, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	NVO Components adjustable threadless system (ATS) aluminum stem, 95mm (16/17.5/19.5), 115mm (21.5/23")	Ritchey Comp Adjustable, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	Ritchey Comp Adjustable, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	Ritchey Comp Adjustable, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	Alloy Adjustable andle, 100mm (14.5-17.5"), 120mm, (19.5-23")	Satori, forged alloy, angle-adjustable type, 90mm ext x 150mm quill (14.5-17.5") or 110mm ext x 180mm quill (18.5-22")		Satori, forged alloy, angle-adjustable type, 90mm ext x 150mm quill (14.5-18.5") or 110mm ext x 180mm quill (18.5-22")	Jamis alloy, angle-adjustable type, 90mm ext x 150mm quill (14.5-17.5") or 110mm ext x 180mm quill (18.5-22")	Jamis alloy, angle-adjustable type, 90mm ext x 150mm quill (14.5-17.5") or 110mm ext x 180mm quill (18.5-22")	NVO Components adjustable threadless system (ATS) forged aluminum stem, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	NVO Components adjustable threadless system (ATS) forged aluminum stem, 80mm (16"), 100mm (17.5"/19.5), 120mm (21.5/23")	NVO Components adjustable threadless system (ATS) aluminum stem, 95mm (14.5/16/17.5/19.5), 115mm (21.5/23")	Satori angle-adjustable, 90mm (14.5/16.5/14.5L/17.5L), 110mm rise (18.5/20.5/22")	Jamis alloy, angle-adjustable type, 90mm ext x 150mm quill (14.5-17.5") or 110mm ext x 180mm quill (18.5-22")	Jamis alloy, angle-adjustable type, 90mm ext x 150mm quill (14.5-17.5") or 110mm ext x 180mm quill (18.5-22")	
Tape	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs		WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	SRAM GripShift	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	WTB Street Smart with reflective end plugs	Kraton for EZFire	Kraton for EZ-Fire	SRAM GripShift	
Seat Post	Jamis Carbon Fiber Micro adjust, 300mm x 27.2mm, alloy clamp with QR seatpin	Jamis Alloy Micro adjust, 350mm x 27.2mm, alloy clamp with QR seatpin	Jamis Alloy Micro adjust, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension, 45mm travel, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension, 45mm travel, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension, 45mm travel, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension, 45mm travel, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension with alloy pillar, 350mm x 27.2mm, with alloy QR clamp		Suspension with alloy pillar, 350mm x 27.2mm, with alloy QR clamp	Suspension with alloy pillar, 350mm x 27.2mm, with alloy QR clamp	Suspension with alloy pillar, 350mm x 27.2mm, with alloy QR clamp	Jamis alloy Micro adjust, 350mm x 27.2mm, alloy clamp with QR seatpin	Jamis Alloy Micro adjust, 350mm x 27.2mm, alloy clamp with QR seatpin	Jamis Alloy Micro adjust, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension, 45mm travel, 350mm x 27.2mm, alloy clamp with QR seatpin	Suspension, alloy micro-adjust, 350mm x 27.2mm, with alloy clamp and QR seatpin	Suspension with alloy pillar, 350mm x 27.2mm, with alloy QR clamp	
Saddle	Selle San Marco Ischia	Selle San Marco Elba	Selle San Marco Elba	Selle San Marco Ischia	Selle San Marco Elba	Selle San Marco Elba	Jamis Comfort with SL top and satin steel rails, Men & Women specific	Jamis Comfort with synthetic suede top, burnished sides, steel rails, memory foam and bumper springs		Jamis Comfort with synthetic suede top, burnished sides, steel rails, memory foam and bumper springs	Jamis Comfort with synthetic suede top, burnished sides, steel rails, memory foam and bumper springs	Jamis Comfort with synthetic suede top, burnished sides, and steel rails	Selle San Marco Elba	Selle San Marco Elba	Jamis Touring with SL top and satin steel rails, Men & Women specific	Jamis Comfort with synthetic suede top, burnished sides, steel rails, memory foam and bumper springs	Jamis Comfort with synthetic suede top, burnished sides, steel rails, memory foam and bumper springs	Jamis Comfort with synthetic suede top, burnished sides, steel rails and bumper springs	
Sizes	16", 17.5", 19.5", 21.5", 23"	M: 16", 17.5", 19.5", 21.5", 23" W: 14.5", 16", 17.5"	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"	M: 16", 17.5", 19.5", 21.5", 23" W: 14.5", 16", 17.5"	M: 14.5" 16.5" 18.5" 20.5" 22" W: 14.5", 17.5"		M: 14.5" 16.5" 18.5" 20.5" 22" W: 14.5", 17.5"	M: 14.5" 16.5" 18.5" 20.5" 22" W: 14.5", 17.5"	16", 17.5", 19.5", 21.5", 23"	M: 16", 17.5", 19.5", 21.5", 23" W: 14.5", 16", 17.5"	M: 16", 17.5", 19.5", 21.5", 23" W: 14.5", 16", 17.5"	M: 14.5", 16.5", 18.5", 20.5", 22" W: 14.5", 17.5"	M: 14.5", 16.5", 18.5", 20.5", 22" W: 14.5", 17.5"	M: 14.5", 16.5", 18.5", 20.5", 22" W: 14.5", 17.5"	
Color	Pearl White	Gloss Black	Mica	Coal/Nickel	Steel/Nickel	Twilight Blue/Sterling Silver	M: Black/Platinum W: Sirius Blue/Pearl White	Cream		M: Gloss Black, Mica W: Baby Doll Blue, Mica	M: Pewter, Monterey Blue W: Pearl White, Monterey Blue	M: Gloss Black, Copper W: Pistachio, Copper	Tech Silver/Black	Pearl White/Montery Blue	Pearl White/Victory Red, Tech Silver/Pearl White	Sterling Silver	M: Pewter, Glitter Red W: Pearl Blue, Glitter Red	M: Gloss Black, Monterey Blue W: Pearl White, Monterey Blue	
Weight	22.5 lbs.	23.5 lbs.	24 lbs.	25 lbs.	24.75 lbs.	25.75 lbs.	26.5 lbs.	30.5 lbs.		28.5 lbs.	27.25 lbs.	28.5 lbs.	29 lbs.	29 lbs.	29.5 lbs.	33.5 lbs.	33 lbs.	32.5 lbs.	